

FIRE AND MATERIALS 2015 TABLE OF CONTENTS

ELECTRO - TECHNICAL

<i>Emissions from flame retarded and non-flame retarded circuit board laminates</i>	2
Alex Morgan, M Kahandawala, Univ of Dayton and B Gullet, D Tabor, U.S. Environmental Protection Agency, USA	
<i>Small scale evaluation and characterization of simulated low voltage cables with and without electrical current</i>	12
Serge Bourbigot, J Sarazin, P Bachelet, Ecole Nationale Supérieure de Chimie de Lille (ENSCL), France	
<i>Characterization of the thermal exposure in the EN 50399 cable test apparatus</i>	23
Michael Försth, J Sjöström, P Andersson, SP Technical Research Inst of Sweden U Wickström, Luleå University of Technology, Sweden and B Girardin, ENSCL, France	
<i>Small scale tests and numerical modelling of fire performance for electrical cable</i>	38
Bertrand Girardin, G. Fontaine S. Duquesne S. Bourbigot, ENSCL, France, L. Delineau, L Studer AG, M. Försth, SP Technical Research Inst of Sweden and F. Hewitt, A. Witkowski, A.Stec, T R. Hull, University of Central Lancashire UK	
<i>Studying fire behaviour of photovoltaic panels with a Cone Calorimeter</i>	53
CL Chow, SS Han, Univ of Hong Kong, Hong Kong	
<i>An investigation of thermally-induced failure of a lithium ion battery</i>	64
Xuan Liu, S Stoliarov, Z Wang, University of Maryland and M Denlinger, A Masias, K Snyder, Ford Motor Company, USA	
<i>Energy release from lithium ion batteries in the Bomb Calorimeter</i>	78
Richard Walters, R Lyon, Federal Aviation Administration, USA	
<i>Influence of the state of charge on the heat release rate of Li-ion batteries</i>	87
Hubert Biteau, V Somandepalli, Exponent, USA	

FIRE TESTING

<i>Practical aspects of microscale combustion calorimetry</i>	104
Richard Lyon, R Walters, Federal Aviation Administration, N Safronava, Technology and Management International and S Stoliarov, University of Maryland, USA	
<i>Comparison of the heat release rate from the Mass Loss Calorimeter to the Cone Calorimeter for wood-based materials</i>	116
Laura Hasburgh, R White, M Dietenberger, C Boardman, USDA Forest Products Laboratory, USA	
<i>Development of large-format Cone Calorimeter for measuring low levels of heat release – Pertaining to duct flow rates</i>	127
Koichi Yoshida, Yokohama National University, H Yoshioka, National Inst for Land and Infrastructure and Management, T Hayakawa, Tokyo Systems Vac Inc and T Noguchi, University of Tokyo, Japan	
<i>Obtaining additional smoke characteristics using multi-wavelength light transmission measurements.</i>	136
Konrad Wilkens, P van Hees, Lund University, Sweden	
<i>An exercise in obtaining flame radiation fraction from the cone calorimeter</i>	149
James Quintiere, University of Maryland and R Lyon, S Crowley, FAA Technical Center, USA	
<i>Application of FTIR analyzers to fire gases - progress in apparatus and method validation for quantitative analysis</i>	162
Eric Guillaume, L Saragoza, LNE, France	

Testing metal wall panel systems..... 175
Michael Slocumb, FM Approvals, USA

A new fire performance test for cavity wall insulation 186
Kristin Jamison, M Khan, FM Global and D Boardman, FM Approvals, USA

IGNITION

Challenges in determining critical mass flux for ignition..... 198
Frida Vermina Lundström, P van Hees, Lund University, Sweden

An ignition model for wood under transient radiant exposures 210
Matt DiDomizio, P Mulherin, E Weckman, University of Waterloo, Canada

A study of ignition by rifle bullets 225
Sara McAllister, M Finney, T Maynard, I Grob, USDA Forest Service, USA

MODELING

Pyrolysis simulation of fiber reinforced polymer (FRP) composites: challenges of zero-dimensional testing of resin and additive mixtures to measure kinetic parameters 241
Nicholas Dembsey, B Gillespie, M Long, N McMillan, C Walde, WPI and William Kreysler, Kreysler & Associates, USA

A model to predict fire behaviors of combustible materials under external heat flux..... 256
Long Shi, V Novozhilov, CESARE, Victoria University, Australia and M Yit Lin Chew, National University of Singapore, Singapore

Challenges in predicting the pyrolysis rate of solid materials..... 271
Marc Janssens, SwRI, USA

Experimental and pyrolysis modeling study of delaminating materials 285
Dong Zeng, M Chaos, Y Wang, S Dorofeev, FM Global, USA

Using the Cone Calorimeter to develop a detailed model of carpet for flammability studies..... 300
Kathryn Butler, J R Shields, NIST and K Ranjan Samant, E.I. DuPont de Nemours and Co, USA

Pyrolysis of solid materials exposed to high thermal radiative heat flux..... 313
Mathieu Gillet, Direction Générale de l'Armement - DGA / DT / TA / MT / MTO, G. Rambaud, CEA, DAM, GRAMAT, France

Numerical modeling of vertical flame testing of nylon-cotton and flame resistant fabric combat uniforms 326
Esther Kim, T Godfrey, NSRDEC and N Dembsey, WPI, USA

FireFOAM modeling of standard class 2 commodity rack storage fires 340
Ning Ren, J de Vries, K Meredith, M Chaos, Y Wang, FM Global, USA

FURNITURE & MATTRESSES

Cigarette ignition of cellulosic materials with non-fire standards compliant (non-FSC) cigarettes 357
James Lord, J Geiman, ATF Fire Research Laboratory, USA

Furniture fire safety solutions: A study on the Open Flame Ignition Resistance of California Technical Bulletin 117-2013 compliant upholstered furniture 370
Carl Powell, R Campbell, M Moore, Great Lakes Solutions, USA

<i>Fire behavior of bed mattress on the viewpoint of flame-spread</i>	385
Kye-Won Park, FILK, South Korea, J-J Jeong, M Mizuno, Y Ohmiya, Tokyo University of Science, Japan	

FLAME RETARDANTS & COATINGS

<i>Milligram-scale Flame Calorimeter: A novel instrument for flammability assessment using mg-sized samples</i>	397
Fernando Raffan, X Ding, S Stoliarov, University of Maryland, USA and R Kraemer, BASF-SE, Germany	
<i>Combustion characteristics of flat panel televisions with and without fire retardants in the casing</i>	410
Matthew Blais, K Carpenter, SwRI, USA	
<i>Fire Properties of borated polyethylene</i>	429
Dan Madsen, Grontmij AB, P van Hees, Lund University, F Jörud, ESS AB, Sweden	
<i>New phosphate epoxy flame retardants for polyurethanes</i>	442
Vladimir Benin, A Morgan, Univ of Dayton, USA	
<i>Thermal protection of natural fibre-thermoplastic composites using sol-gel coating</i>	453
Baljinder Kandola , W Pornwannachai and E Caminade, Univ of Bolton, UK and J Alongi, Politecnico di Torino, Italy	
<i>Low emissivity surfaces for improved fire performance</i>	484
Robert Svensson, M Försth, SP Fire Research, Sweden	
<i>Revealing the inner secrets of intumescent chars by advanced small scale tests combined with μ-CT</i>	478
Michael Morys, B Illerhaus, H Sturm, B Schartel, BAM Germany	
<i>Effect of flame retardants on polymer heat release rate</i>	484
Marcelo Hirschler, GBH International, USA	
<i>Simulations of gas-phase interactions of phosphorus flame retardants with diffusion flame structure</i>	499
Fumiaki Takahashi, Case Western Reserve University, V Katta, Innovative Scientific Solutions and G Linteris, V Babushok, NIST, USA	
<i>Experimental and numerical simulations of the gas-phase effectiveness of phosphorus compounds</i>	513
G Linteris, N Bouvet, V Babushok, NIST, Fumiaki Takahashi, Case Western Reserve University, V Katta, Innovative Scientific Solutions, USA and R Krämer, BASF SE, Germany	

BUILDING FIRES

<i>Regulation of foam plastic insulation by US construction codes</i>	529
Marcelo Hirschler, T Earl, GBH International, USA	
<i>Challenges for fire safety in ETIC systems with polystyrene insulation</i>	543
Anja Hofmann, S Kaudelka, BAM and A Ruhs, Frankfurt Fire and Rescue Service, Germany	
<i>Fire safety of textile membranes in temporary structures</i>	554
Per Blomquist, A Bergstrand, N Neumann, I Larsson, P Thureson, SP Technical Research Inst of Sweden and S Bengtsson, Brandskyddslaget, Sweden	

Polystyrene foam insulation with a sustainable flame retardant: Transition update..... 568
Christine Lukas, Dow Chemical Company UK Ltd, UK, L Ross, Intech. Consulting Inc., USA,
I Beulich, H Hollnagel, Dow Europe GmbH, Switzerland, Mark Beach, J Davis, J Hull, B King,
S Kram, T Morgan, M Porter, W Stobby, The Dow Chemical Company, USA

A case study on the effect of building construction type, height and area on the building fire risk using the fire risk assessment model CURisk 584
Xiao Li, P Rao, X Zhang, G Hadjisophocleous, Carleton University, Canada

COMPARTMENT FIRES

Cone calorimeter and room corner fire testing of balsa wood core / Phenolic composites skin sandwich panels 601
Alexander Morgan, E Toubia, Univ of Dayton, USA

Gas and particle effluents released from boundaries of fire compartments: First results and analyses 613
Miroslav Smolka, Rockwool Intl, Denmark, V Mozer, Univ of Zilina, Slovakia and P Tofilo,
The Main School of Fire Service, Warsaw, Poland

FIRE RESISTANCE

Optical characterization of high temperature deformation in novel structural materials 626
John Gales, Carleton University and M Green, Queen's University, Canada

Performance and design of intumescent coatings on concrete filled hollow steel sections 641
David Rush, L Bisby, Uni of Edinburgh and A Jowsey, International Paint Ltd, UK

Heat transfer in small-scale models of exterior wall designs 652
C Aire, D Torvi, University of Saskatchewan, M DiDomizio, Elizabeth Weckman, University
of Waterloo and R Roos, Roxul Inc, Canada

Analysis of cross-laminated timber charring rates upon exposure to non-standard heating conditions 667
Alastair Barlett, R Hadden, L Bisby, University of Edinburgh and A Law, Arup, UK

Revisiting normalised heat load and its application in a compartment fire model..... 682
Colleen Wade, BRANZ and C Fleischmann, M Spearpoint, A Abu, University of Canterbury,
New Zealand

TRANSPORTATION

Car bumpers reaction to fire 698
Célia Rich, LCPP, France / University of Lausanne, Switzerland, B Vanlerberghe, N Risler,
S Pereira-Rodrigues, LCPP, France and O Delémont, University of Lausanne, Switzerland

Motorcoach tire fire prevention 705
Rhoads (Rody) Stephenson, Friedman Research Corp and J Huczek, SwRI, USA

Motorcoach engine compartment test procedure development 720
Jason Huczek, SwRI and R Stephenson, Friedman Research Corporation, USA

Aircraft blanket ignition and toxic emission in simulated aircraft cabin fires using the Cone Calorimeter 734
Gordon Andrews, M Bell, L Tang, A Alarifi, H Phylaktou, University of Leeds, UK

Challenges in establishing design fires for passenger rail vehicles 749
Joe Zicherman, Fire Cause Analysis and C Lautenberger, A Wolski, Reax Engineering, USA

Thermo mechanical behaviour of panels' assembly exposed to an ISO 834 fire test 765
Jean-Charles Craveur, B Mercier, J Bournot, ISMANS and S Lair, MAPAC Panel, France

VENTILATION-CONTROLLED FIRES

Determination of the fire behaviour of an acrylonitrile butadiene styrene material using a Controlled Atmosphere Cone Calorimeter 776
Fabien Hermouet, LNE / Institut P', É Guillaume, LNE, T Rogaume, F Richard, Institut P' and X Ponticq, Centre d'Etude des Tunnels (CETU), France

Experimental investigation of externally venting flames in under-ventilated compartment fires 788
Eleni Asimakopoulou, D Kolaitis, M Founti, National Technical University of Athens, Greece

WILDLAND/URBAN INTERFACE

Climate impact on forest fire risk in Sweden 804
Francine Amon, J Sjöström, L Vylund, S Fasth, SP Technical Research Inst of Sweden, Sweden

A model to evaluate infrastructures vulnerability in case of forest fires in wildland-urban interfaces zones 818
Laura Bonora, National Research Council, F Martelli, National Research Council, Italy, N Brachetti Montorselli, DSISTAF, University of Florence and E Tesi, Tuscany Region - Settore programmazione forestale, Italy

Firebrand accumulation zones in front of structures in wildland-urban interface (WUI) fires 826
Samuel Manzello, NIST, USA and S Suzuki, NRIFD, Japan

Effect of siding treatment on firebrand production from building components 836
Sayaka Suzuki, NRIFD, Japan and S Manzello, NIST, USA

On the safety of LPG tanks located in the Wildland Urban Interface during a wildfire 848
Frederic Heymes, L Aprin, P Lauret & S Forestier, Ecole des Mines d'Alès, France

FIRE INVESTIGATION – Wildland

Relative humidity and wildland fire ignition by cigarettes 860
Tara Henriksen, C Warren, K Lewis, CASE Forensics Corp, USA

Influence of moisture and organic content on cigarette ignition of potting soil samples 867
Amanda Robbins, M Bodnar, M Lejeune, P Senez, SERECA, Canada

Spot fire ignition of natural fuel beds by hot aluminum particles 879
James Urban, C D Zak and C Fernandez-Pello, University of California Berkeley, USA

FIRE INVESTIGATION

Effects of cooking on the thermal ignition behavior of vegetable oil 889
Delmar Morrison, S Dee, B Cox, R Hart, R Farina, Exponent Inc, USA

How can a wood pellet stove cause a fire? 905
Herve Breulet, ISSeP, Belgium

<i>Investigation of the fire hazard of mixed material piles in recycling facilities</i>	919
Nicole Nagy, P Mulherin, M DiDomizio, E Weckman, University of Waterloo, Canada	
<i>How PVC-insulated cables exposed to radiant heat fluxes cause short circuits and arc beads</i>	933
Tomoyasu Iwashita, Yamanashi Prefectural Police HQ / Tokyo Univ of Science, Y Hagimoto, Hagimoto Fire Research Lab, O Sugawa, Tokyo Univ of Science, Japan and M Keller, ATF Fire Research Lab, USA	
<i>Fish tank heater fire analysis</i>	946
Kevin Lewis, D Murphy, S Scheiff, T Henriksen, Case Forensics, USA	
<i>A detailed look at the necked vessel flame thrower effect</i>	957
Richard Meier, P Kennedy, G Gorbett, K Smith and P Powell, John A Kennedy Assocs, USA	
<i>Gas-fired space heaters: Defective products, defective standards, and burned victims</i>	972
Vytenis Babrauskas, Fire Science & Technology Inc., USA	
<i>Assessment of damage by fire investigators</i>	987
Lee McCarthy, Crane Engineering, J Geiman, Fire & Risk Alliance, USA	
<i>Investigation on the Pontine Tower fire</i>	1002
Cristina D'Angelo, Department of Firefighters, Department of Environmental Protection and Green- Civil Protection, Rome Municipality, S Di Maria, Fire Brigade of Latina, Ministry of the Interior, Italy	
<i>Evaluation of fire spread in the large Lærdal fire, January 2014</i>	1014
Anne Steen-Hansen, A Gagnat Bøe, K Hox, R Fjellgaard Mikalsen, J Stensaas, K Storesund, SP Fire Research AS, Norway	
Author Index	1025
LATE PAPERS	1030
<i>Time until flashover as a function of polyurethane content in a cell or structure</i>	1031
Kate Grimwood, Australian Inst of Forensic Fire Investigation, M Tahtouh and C Roux, University of Technology, Sydney, Australia	
<i>Gas temperature and concentration measurements in the vicinity of a burning/decomposing carbon-epoxy aircraft composite material</i>	
Sean Kearney, A Dodd, A Bohlin, C Kliewer, Sandia National Laboratories, USA	